WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, December 11, 2006

Hide? Set Name Query Hit Count				
DB=PGPB, USPT, EPAB; PLUR=YES; OP=ADJ				
	L25	L24 and (label\$ or radiolabel\$) 5	
Ī.	L24	L19 not @ay>1996	20	
Ĺ	L23	L19 not ay>1996	0	
· _	L22	119 and (DTPA or DOTA)	0	
Γ	L21	L20 and 119	0	
Γ	L20	reubi.in.	. 26	
Γ	L19	L18 and l1	· 47	
	L18 ·	L17 or 116	10340	
	L17	(424/1.11,1.57)![CCLS]	1079	
Γ	L16	(530/300,324,328)![CCLS]	9348	
	L15	L14 not @ay>1996	11	
Γ	L14	L13 and (DTPA or DOTA)	106	
<u></u>	L13	cck	3380	
Γ	L12	5827517.pn.	1	
	L11	5814316.pn.	1	
	L10	5739106.pn.	1	
	L9	5679777.pn.	1	
Γ	L8	5759512.pn.	1	
ſ	L7	L6 not @ay>1997	5	
Γ.	L6	L5 and (DTPA or DOTA)	22	
Γ	L5	L4 and L3	. 395	
Γ	L4	octapeptide	3405	
Γ	L3	cholecystokinin	3773	
Γ	L2	L1 and (DTPA or DOTA)	12	
r.	L1	CCK8 or CCK-8 or (CCK 8)	546	

END OF SEARCH HISTORY

agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 12:23:33 ON 11 DEC 2006

=> => file reg
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL
ENTRY SESSION
0.21 0.21

FILE 'REGISTRY' ENTERED AT 12:23:44 ON 11 DEC 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 DEC 2006 HIGHEST RN 915124-84-4 DICTIONARY FILE UPDATES: 10 DEC 2006 HIGHEST RN 915124-84-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

```
=> E "SNF 8702"/CN 25
E1
             1
                   SNF 4794-9/CN
E2
             1
                   SNF 5/CN
E3
             1
              --> SNF 8702/CN
E4
             1
                   SNF 8814/CN
E5
             1
                   SNF 8906/CN
Ε6
             1
                   SNF 9007/CN
                   SNF FAMILY HELICASE (BACTEROIDES FRAGILIS STRAIN ATCC25285)/CN
E7
             1
             1
                   SNF HELICASE (STREPTOCOCCUS MUTANS STRAIN UA159 GENE
SMU.1733C)/CN
F. 9
             1 .
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN MGAS315 GENE SNF)/CN
E10
             1
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN MGAS8232 GENE SNF)/CN
E11
             1
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN SF370 GENE SNF)/CN
E12
             1
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN SSI-1 GENE
SPS1609)/CN
                   SNF SUPER/CN
E13
             1
E14
             1
                   SNF-7-LIKE PROTEIN (LEISHMANIA MAJOR STRAIN FRIEDLIN)/CN
E15
             1
                   SNF-AN 905BPM/CN
E16
             1
                   SNF-DP/EP 2037B/CN
E17
             1
                   SNF-LIKE HELICASE (BACILLUS CEREUS STRAIN ATCC-109870/CN
E18
             1
                   SNF-LIKE KINASE RELATED PROTEIN (HUMAN)/CN
E19
             1
                   SNF-PROV PROTEIN (XENOPUS LAEVIS CLONE MGC:52976
IMAGE: 4930667)/CN
E20
                   SNF-RELATED KINASE (GUILLARDIA THETA GENE KIN(SNF1))/CN
             1
È21
                   SNF-RELATED KINASE (HUMAN GENE SNRK)/CN
```

```
SNF-RELATED KINASE (MOUSE STRAIN FVB/N CLONE MGC:28970
IMAGE: 4482701) / CN
                  SNF1 FAMILY PROTEIN KINASE (CRYPTOCOCCUS NEOFORMANS NEOFORMANS
            1
STRAIN JEC21)/CN
E24
                  SNF1 LIKE PROTEIN KINASE (ARABIDOPSIS THALIANA CLONE BAC TAMU8P4
           1
GENE DL3330C)/CN
                  SNF1 PROTEIN KINASE/CN
E25
=> S E3
            1 "SNF 8702"/CN
L1
=> DIS L1 1 SQIDE
THE ESTIMATED COST FOR THIS REQUEST IS 6.36 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y) /N:Y
   ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
L1
    129228-52-0 REGISTRY
    L-Phenylalaninamide, L-\alpha-aspartyl-L-tyrosyl-N-methyl-L-
     norleucylglycyl-L-tryptophyl-N-methyl-L-norleucyl-L-\alpha-aspartyl-
     (9CI) (CA INDEX NAME)
OTHER NAMES:
     SNF 8702
CN
     PROTEIN SEQUENCE; STEREOSEARCH
FS
SOL 8
NTE modified
               ----- location -----
                                            description
SEQ 1 DYXGWXDF
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
MF C53 H70 N10 O13
SR
    CA
     STN Files: BIOSIS, BIOTECHNO, CA, CAPLUS, EMBASE, MEDLINE, USPATFULL
DT.CA CAplus document type: Journal; Patent
RL.P
      Roles from patents: BIOL (Biological study); PREP (Preparation); USES
       (Uses)
```

RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological study); PROC (Process); PRP (Properties)

study); PROC (Process); PRP (Properties); RACT (Reactant or reagent);

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological

Absolute stereochemistry.

USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 10 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
- 10 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> DIS L1 1 SQIDE THE ESTIMATED COST FOR THIS REQUEST IS 6.36 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:N REQUEST CANCELED

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
12.00 12.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 12:24:56 ON 11 DEC 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 Dec 2006 VOL 145 ISS 25 FILE LAST UPDATED: 10 Dec 2006 (20061210/ED) ·

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l1/dgn

10 L1 71207 DGN/RL

L2 0 L1/DGN

(L1 (L) DGN/RL)

=> s l1/thu

10 L1

837513 THU/RL

L3 1 L1/THU

(L1 (L) THU/RL)

 $\cdot => d$

L3ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

1997:366668 CAPLUS

DN 127:51006

TIPreparation of receptor selective cholecystokinin-8 analogs

Fang, Sunan; Hruby, Victor

PAArizona Technology Development Corporation, USA

SO U.S., 5 pp., Cont. of U. S. Ser. No. 914,014, abandoned. CODEN: USXXAM

DТ Patent

LA English

FAN CNT 1

PATENT NO.		KIND	DATE	APPLICATION NO.	DATE	
					10010505	
PΙ	US 5631230	A	19970520	US 1994-280136	19940725	
PRAI	US 1989-410403	B1	19890921	•		
	US 1992-914014	B1	19920715			
OS	MARPAT 127:51006		•			

=> d ibib abs

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN L3

ACCESSION NUMBER:

1997:366668 CAPLUS

DOCUMENT NUMBER:

127:51006

TITLE:

SOURCE:

Preparation of receptor selective cholecystokinin-8

analogs

INVENTOR(S):

Fang, Sunan; Hruby, Victor

PATENT ASSIGNEE(S):

Arizona Technology Development Corporation, USA U.S., 5 pp., Cont. of U. S. Ser. No. 914,014,

abandoned. CODEN: USXXAM

DOCUMENT TYPE:

Patent

LANGUAGE:

English

1

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.

KIND DATE APPLICATION NO.

DATE

19970520 US 1994-280136 · US 5631230 Α 19940725 US 1989-410403 B1 19890921 PRIORITY APPLN. INFO.: US 1992-914014 B1 19920715 MARPAT 127:51006 OTHER SOURCE(S): Cholecystokinin-8 (CCK-8) analogs M-Asp-X-Y-Gly-Trp-Z-Asp-Phe-NH2 [X = Tyr, Dopa, Tyr(SO3-); Y = N-methylnorleucine (MeNle), Val, D-Val, Phe, D-Phe; Z = Nle, MeNle; M = H, SO3-], which are receptor selective, vary from the normal hormone by alteration of at least one of the amino acid residues at the 2, 3, or 6 position of the natural sequence. Thus, H-Asp-Tyr-MeNle-Gly-Trp-MeNle-Asp-Phe-NH2 (I) was prepared by solid-phase methods on a p-methylbenzyhydrylamine resin using $N\alpha$ -tertbutoxycarbonyl (Boc) and side chain benzyl protections. I showed IC50 = 0.131 nM in a rat brain assay, and IC50 = 1030 in a rat pancreas assay,. => d his ' (FILE 'HOME' ENTERED AT 12:23:33 ON 11 DEC 2006) FILE 'REGISTRY' ENTERED AT 12:23:44 ON 11 DEC 2006 E "SNF 8702"/CN 25 ·1 S E3 L1FILE 'CAPLUS' ENTERED AT 12:24:56 ON 11 DEC 2006 L2 0 S L1/DGN L3 1 S L1/THU => s l1/buu 10 L1 230992 BUU/RL 1 L1/BUU (L1 (L) BUU/RL) => d ibib ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN 1995:436187 CAPLUS ACCESSION NUMBER: DOCUMENT NUMBER: 122:178570 TITLE: [125I] SNF 8702: A selective radioligand for CCKB AUTHOR(S): Slaninova, Jirina; Knapp, Richard J.; Weber, Steven J.; Davis, Thomas P.; Fang, Su-Nan; Hruby, Victor J.; Yamamura, Henry I. Dep. of Pharmacology, Univ. of Arizona College of CORPORATE SOURCE: Medicine, Tucson, AZ, 85724, USA Peptides (Tarrytown, New York) (1995), 16(2), 221-4 SOURCE: CODEN: PPTDD5; ISSN: 0196-9781 PUBLISHER: Elsevier Journal DOCUMENT TYPE: LANGUAGE: English => ---Logging off of STN---=> Executing the logoff script...

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	12.71	24.92
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.75	-0.75

STN INTERNATIONAL LOGOFF AT 12:27:14 ON 11 DEC 2006

agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 12:23:33 ON 11 DEC 2006

=>

=> file reg COST IN U.S. DOLLARS

SINCE FILE TOTAL SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 12:23:44 ON 11 DEC 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 DEC 2006 HIGHEST RN 915124-84-4 DICTIONARY FILE UPDATES: 10 DEC 2006 HIGHEST RN 915124-84-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

```
=> E "SNF 8702"/CN 25
                   SNF 4794-9/CN
E1
             1
                   SNF 5/CN
             1
E2
             1 --> SNF 8702/CN
E3
                   SNF 8814/CN
             1
E4
                   SNF 8906/CN
             1
E5
                   SNF 9007/CN
             1
Ε6
                   SNF FAMILY HELICASE (BACTEROIDES FRAGILIS STRAIN ATCC25285)/CN
             1
E7
                   SNF HELICASE (STREPTOCOCCUS MUTANS STRAIN UA159 GENE
             1
E8
SMU.1733C)/CN
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN MGAS315 GENE SNF)/CN
F.9
             1 .
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN MGAS8232 GENE SNF)/CN
E10
             1
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN SF370 GENE SNF)/CN
             1
E11
                   SNF HELICASE (STREPTOCOCCUS PYOGENES STRAIN SSI-1 GENE
E12
             1
SPS1609)/CN
                   SNF SUPER/CN
             1
E13
                   SNF-7-LIKE PROTEIN (LEISHMANIA MAJOR STRAIN FRIEDLIN)/CN
             1
E14
                   SNF-AN 905BPM/CN
             1
E15
             1
                   SNF-DP/EP 2037B/CN
E16
                   SNF-LIKE HELICASE (BACILLUS CEREUS STRAIN ATCC-109870/CN
             1
E17
                   SNF-LIKE KINASE RELATED PROTEIN (HUMAN)/CN
             1
E18
                   SNF-PROV PROTEIN (XENOPUS LAEVIS CLONE MGC:52976
E19
             1
IMAGE:4930667)/CN
                   SNF-RELATED KINASE (GUILLARDIA THETA GENE KIN(SNF1))/CN
             1
E20
                   SNF-RELATED KINASE (HUMAN GENE SNRK)/CN
             1
E21
```

```
SNF-RELATED KINASE (MOUSE STRAIN FVB/N CLONE MGC:28970
IMAGE: 4482701)/CN
                 SNF1 FAMILY PROTEIN KINASE (CRYPTOCOCCUS NEOFORMANS NEOFORMANS
           1
STRAIN JEC21)/CN
                 SNF1 LIKE PROTEIN KINASE (ARABIDOPSIS THALIANA CLONE BAC TAMU8P4
E24
           1
GENE DL3330C)/CN
                 SNF1 PROTEIN KINASE/CN
           1.
E25
=> S E3
            1 "SNF 8702"/CN
L1
=> DIS L1 1 SQIDE
THE ESTIMATED COST FOR THIS REQUEST IS 6.36 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y) /N:Y
   ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
L1
   129228-52-0 REGISTRY
RN
    L-Phenylalaninamide, L-\alpha-aspartyl-L-tyrosyl-N-methyl-L-
CN
    norleucylglycyl-L-tryptophyl-N-methyl-L-norleucyl-L-\alpha-aspartyl-
    (9CI) (CA INDEX NAME)
OTHER NAMES:
   SNF 8702
CN
   PROTEIN SEQUENCE; STEREOSEARCH
FS
SQL 8
NTE modified
_____
       ----- location ----- description
-----
terminal mod. Phe-8 - C-terminal amide uncommon Nle-3 - - uncommon Nle-6 - - modification Nle-3 - methyl<Me> methyl<Me>
SEQ
       1 DYXGWXDF
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
MF C53 H70 N10 O13
   CA
SR
   STN Files: BIOSIS, BIOTECHNO, CA, CAPLUS, EMBASE, MEDLINE, USPATFULL
DT.CA CAplus document type: Journal; Patent
     Roles from patents: BIOL (Biological study); PREP (Preparation); USES
RL.P
      (Uses)
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
      study); PROC (Process); PRP (Properties); RACT (Reactant or reagent);
      USES (Uses)
RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological
```

Absolute stereochemistry.

study); PROC (Process); PRP (Properties)

PAGE 2-A
HO2C S NH2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 10 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
- 10 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> DIS L1 1 SQIDE
THE ESTIMATED COST FOR THIS REQUEST IS 6.36 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:N: MARKED CANCELED

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 12.00 12.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 12:24:56 ON 11 DEC 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 Dec 2006 VOL 145 ISS 25
FILE LAST UPDATED: 10 Dec 2006 (20061210/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l1/dgn

10 L1 71207 DGN/RL

L2 0 L1/DGN

(L1 (L) DGN/RL)

=> s 11/thu

10 L1

837513 THU/RL

L3 1 L1/THU

(L1 (L) THU/RL)

=> d

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1997:366668 CAPLUS

DN 127:51006

TI Preparation of receptor selective cholecystokinin-8 analogs

IN Fang, Sunan; Hruby, Victor

PA Arizona Technology Development Corporation, USA

SO U.S., 5 pp., Cont. of U. S. Ser. No. 914,014, abandoned. CODEN: USXXAM

DT Patent

LA English

FAN.CNT 1

PATENT NO.		KIND	DATE	APPLICATION NO.	DATE
ΡI	US 5631230	Α	19970520	US 1994-280136	19940725
PRAI	US 1989-410403	B1	19890921	•	
	US 1992-914014	В1	19920715		
os	MARPAT 127:51006				

=> d ibib abs

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER:

1997:366668 CAPLUS

DOCUMENT NUMBER:

127:51006

TITLE:

Preparation of receptor selective cholecystokinin-8

analogs

INVENTOR(S):

Fang, Sunan; Hruby, Victor

PATENT ASSIGNEE(S): SOURCE:

Arizona Technology Development Corporation, USA U.S., 5 pp., Cont. of U.S. Ser. No. 914,014,

abandoned.

CODEN: USXXAM

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

KIND DATE

APPLICATION NO.

DATE

```
19940725
                                 19970520
                                              US 1994-280136
     US 5631230
                          Α
                                                                  B1 19890921
                                              US 1989-410403
PRIORITY APPLN. INFO.:
                                                                  B1 19920715
                                              US 1992-914014
                          MARPAT 127:51006
OTHER SOURCE(S):
     Cholecystokinin-8 (CCK-8) analogs M-Asp-X-Y-Gly-Trp-Z-Asp-Phe-NH2 [X = \frac{1}{2}
     Tyr, Dopa, Tyr(SO3-); Y = N-methylnorleucine (MeNle), Val, D-Val, Phe,
     D-Phe; Z = Nle, MeNle; M = H, SO3-], which are receptor selective, vary
     from the normal hormone by alteration of at least one of the amino acid
     residues at the 2, 3, or 6 position of the natural sequence. Thus,
     H-Asp-Tyr-MeNle-Gly-Trp-MeNle-Asp-Phe-NH2 (I) was prepared by solid-phase
     methods on a p-methylbenzyhydrylamine resin using N\alpha-tert-
     butoxycarbonyl (Boc) and side chain benzyl protections. I showed IC50 =
     0.131 nM in a rat brain assay, and IC50 = 1030 in a rat pancreas assay,.
=> d his
     (FILE 'HOME' ENTERED AT 12:23:33 ON 11 DEC 2006)
     FILE 'REGISTRY' ENTERED AT 12:23:44 ON 11 DEC 2006
                E "SNF 8702"/CN 25
             · 1 S E3
L1
     FILE 'CAPLUS' ENTERED AT 12:24:56 ON 11 DEC 2006
              0 S L1/DGN
L2
              1 S L1/THU
L3
=> s 11/buu
            10 L1
        230992 BUU/RL
             1 L1/BUU
1.4
                  (L1 (L) BUU/RL)
=> d ibib
     ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
                          1995:436187 CAPLUS
ACCESSION NUMBER:
                          122:178570
DOCUMENT NUMBER:
                          [125I]SNF 8702: A selective radioligand for CCKB
TITLE:
                          receptors
                          Slaninova, Jirina; Knapp, Richard J.; Weber, Steven
AUTHOR(S):
                          J.; Davis, Thomas P.; Fang, Su-Nan; Hruby, Victor J.;
                          Yamamura, Henry I.
                          Dep. of Pharmacology, Univ. of Arizona College of
CORPORATE SOURCE:
                          Medicine, Tucson, AZ, 85724, USA
                          Peptides (Tarrytown, New York) (1995), 16(2), 221-4 CODEN: PPTDD5; ISSN: 0196-9781
SOURCE:
                          Elsevier
PUBLISHER:
                          Journal
DOCUMENT TYPE:
                          English
LANGUAGE:
=>
---Logging off of STN---
Executing the logoff script...
```

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	12.71	24.92
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE .	-0.75	-0.75

STN INTERNATIONAL LOGOFF AT 12:27:14 ON 11 DEC 2006